

CarPlay NV17

Manual

- MODEL : NV17-AV_MODULE_C_V001
- DATE : 2019.01.14

Index

1. Main Spec
2. Dimension
3. External Appearance
4. Connector Pin Assignment
5. Product Composition
6. Setting
7. Install Manual
8. Q & A

1. Main Spec.

1. Input Spec.

- 1 x USB Input
- 1 x Microphone Input
- 1 x Real Analog Touch Input

2. Output Spec.

- 1 x LVDS(HDMI Connector) Output
- 1 x Audio L/R (3.5Φ Stereo Jack) Output
- 1 x Mono Speaker

3. Power Spec.

- Input Power : 8VDC ~ 24VDC
- Consumption Power : 12Watt, Max

2. Dimension

82mm * 134.5mm * 23mm




* This can change under manufacturer's circumstance


3. External Appearance




3. External Appearance



4. Connector Pin Assignment




*Touch Connect



- ① Y-
- ② X-
- ③ Y+
- ④ X+

*POWER Connect



- ① ACC
- ② GND

5. Product Composition



Interface 1 EA



TOUCH Cable 2 EA



HDMI Cable 1 EA



SPEAKER 1 EA



AUX Cable 1 EA



Power Cable 1 EA



SPEAKER Cable 1 EA



Microphone 1 EA


6. Setting

①



Press the setting button for 3 seconds.

②




When the above menu appears, press the setting button for 3 seconds.

③




Correct the touch when the screen changes.

④



Vehicle must be powered on without OEM touch display.

7. Install Manual



8. Q & A

1. Check the LED status first when interface failure..
 - If there is no abnormality after the power is applied, the green LED flashes in units of 1 second.
 - If the red LED flashes for 1 second, there is no.
 - If the red LED is on continuously, the interface itself is bad.
 - If nothing turns on, check that the power and CAN signals are properly connected
2. Q : When the screen turns black
A : LVDS cable itself is bad or bad contact.
3. If you find any symptoms with these symptoms, please contact your distributor